

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Climate change

Renewable Energy Production

Energy Savings

References and links



**Mitigating climate change is one of the major challenges today.**

The development of renewable energy sources and energy savings calls for a wide range of technologies, in which stainless steels prove useful.

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Climate change


Renewable Energy Production

Energy Savings

References and links

### Climate Change Mitigation Requires Huge Reductions in CO<sub>2</sub> Emissions

Efforts to reduce CO<sub>2</sub> emissions depend on many variables. The IEA has attempted to quantify the effect of the different scenarios. This graph compares the potential effect of the New Policies and 450° scenarios to 2035.



Reductions in carbon dioxide by 2035 will be achieved through:

- Increasing renewable energy's contribution to the energy mix will cut CO<sub>2</sub> by 23%
- Improving the energy efficiency of everything from buildings to appliances will reduce emissions by 40% (the building sector has a prominent role to play)

*\*450ppm is considered to be the maximum allowable CO<sub>2</sub> concentration in the atmosphere to avoid large climate disruption*

# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

## Part I: Renewable Energy Production


Stainless steels can contribute to all renewable energy technologies including:

### Biomass



- Biogas
- Biofuels
- Combined Heat and Power (CHP) and Multi Fuel Gasification plants

### Blue Energy



- Tidal and wave energy

### Geothermal



### Offshore Wind



### Solar



# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

**Biomass Energy**

Biogas Production

Stainless Steel in Biogas Product

Stainless Steel Use

Biofuels Production

Bioethanol Production Equipment

CHP and Multi Fuel Gasification

Geothermal Energy

Offshore Wind Energy


Blue Energy

Solar Energy

Energy Savings

References and links

## Biomass Energy



## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

**Biogas Production**

Stainless Steel in Biogas Product

Stainless Steel Use

Biofuels Production

Bioethanol Production Equipment

CHP and Multi Fuel Gasification

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### Biogas Production

Anaerobic digestion of organic waste by bacteria produces biogas which can fuel an engine coupled with a generator to produce electricity and heat.

Producing energy while reducing organic waste is a very attractive solution. Biogas production is growing quickly worldwide.



*Frankfurt Hahn Airport's co-generation plant*



*Aerial view of the Saxony-Anhalt biogas plant*



*Exterior view of a stainless steel fermenter tank*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Biogas Production

Stainless Steel in Biogas Product

Stainless Steel Use

Biofuels Production

Bioethanol Production Equipment

CHP and Multi Fuel Gasification

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### Stainless Steels in Biogas Production

Corrosive compounds such as  $H_2S$  and ammonia are by-products of the biogas process. Unless corrosion-resistant materials are used, damage to the equipment will occur. It is essential to avoid shutdowns as re-starting the biogas digester is a long and delicate operation, while waste continues to accrue.

Stainless steel is used in biogas plants for digester tanks, pumps, valves and agitators, pipes and fittings.

Digester tanks:

While concrete is currently the most widely used material for fermenter tanks, stainless steel has the following advantages:

- Lower construction costs: a typical tank can be completed within a week
- Minimal logistics - biogas plants can be constructed in almost any area
- No need for repairs thanks to the corrosion resistance of stainless steel
- Gas and water tightness: joints are easy to keep tight; holes are easy to drill; and gas leakage is prevented
- Residual value: at the end of its useful life stainless steel has a scrap value



*Inside views of a stainless steel fermenter*

# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Biogas Production

Stainless Steel in Biogas Product

Stainless Steel Use

Biofuels Production

Bioethanol Production Equipment

CHP and Multi Fuel Gasification

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

## Stainless Steel Use in Biogas Production

Pumps, valves and agitators

Pipes and fittings

Stainless steel offers small bending radii and much better heat transfer than plastics.



*Biogas drying unit*



*Agitator*



*Screw pump with stainless steel piping*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Biogas Production

Stainless Steel in Biogas Product

Stainless Steel Use

**Biofuels Production**

Bioethanol Production Equipment

CHP and Multi Fuel Gasification

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### Biofuels production

The production of bioethanol and biodiesel has increased rapidly, particularly in Brazil and the USA. Stainless steels are widely used in biofuel production as they exhibit excellent corrosion resistance in the harsh process conditions. They also offer good strength, ductility, toughness and ease of fabrication.

Standard austenitic grades 304L and 316L are suitable for most biofuel plants. However, duplex, super austenitic and nickel alloys are used in specific applications.



*280 MW corn bioethanol plant (West Burlington, USA)*

*Bioethanol production equipment*



# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Biogas Production

Stainless Steel in Biogas Product

Stainless Steel Use

Biofuels Production

Bioethanol Production Equipment

CHP and Multi Fuel Gasification

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

## Bioethanol Production Equipment

*Stainless hopper for bioethanol plant*



*Steam system in ethanol ligno cellulosic pre treatment*



*Bioethanol plant in Guatemala*



*Stripper/Rectifier, fully assembled, fabricated using 304 stainless steel*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Biogas Production

Stainless Steel in Biogas Product

Stainless Steel Use

Biofuels Production

Bioethanol Production Equipment

**CHP and Multi Fuel Gasification**

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### CHP and Multi Fuel Gasification Plants

Any material that can be burnt can be used to produce heat or steam for electricity production. Wood-fuelled power plants and some municipal incinerators already generate energy this way.

More sophisticated systems are also gaining marketshare. Integrated multi-fuel gasification technologies enable the production of syngas\* from any calorific waste (wood residues, municipal solid waste, used rubber tires, plastics...). The gas can be used to generate energy using a gas engine or turbine.

Stainless steels are used in various parts of these plants for their corrosion and heat resistance.

\*Syngas typically consists of H<sub>2</sub>, CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub> in varying proportions



*10 MW wood residue CHP plant (Vaxjö, Sweden) which uses gasification*



*9 MW wood residue CHP plant (Rouen, France) which uses combustion to generate energy*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

**Geothermal Energy**

High temperature sources

Stainless steel use

Low temperature district heating

Heating homes from the ground

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings


References and links

### Geothermal Energy

Hot water from natural springs has been used by mankind for millennia. Heated between 50 and 80°C in underground aquifers, the hot water is now used for district heating, fish farming and greenhouse heating.

It is only recently that the technology required to take advantage of the huge potential of high temperature, deep geothermal is available while heat pumps offer sustainable heating for homes and buildings.

*Geyser in Iceland*



*The swimming pool of the Hotel Gellert (Budapest, Hungary) is heated using hot water from natural springs*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

**High temperature sources**

Stainless steel use

Low temperature district heating

Heating homes from the ground

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### High temperature sources

High temperature steam is necessary for efficient geothermal electricity production. Natural locations are scarce and usually far from major consumer centres. These factors have led to the limited development of this technology.

However, Enhanced Geothermal Systems (EGS) can tap the heat lying at depths of up to 3,000 metres. Plants which can utilise this energy to produce steam are now available and may lead to a renewed interest in geothermal energy in coming years.



*10 MW Ribeira Grande binary unit (Azores Islands, Portugal)*



*1.5 MW binary EGS power plant (Soultz-sous-Forêts, France)*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

High temperature sources

Stainless steel use

Low temperature district heating

Heating homes from the ground

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### Stainless steel use

The superheated water produced in geothermal sources (including EGS) is aggressive and requires corrosion resistant materials to ensure long and trouble-free operation.

Stainless steels are generally used for critical components such as

- Condensers
- Flash units
- Filters
- Heat exchangers
- Piping
- Pumps and Valves



## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

High temperature sources

Stainless steel use

Low temperature district heating

Heating homes from the ground

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### Low temperature district heating

Hot water from geothermal wells is usually laden with chlorides, fluorides, sulphates and other mineral compounds. Materials which can resist the effects of these chemicals are required.

Stainless steel offers the best performance/cost ratio for:

- Heat exchangers
- Piping
- Pump shafts
- Valves



*Heating exchangers and circulation pumps in a geothermal district heating system (Klamath Falls, USA)*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

High temperature sources

Stainless steel use

Low temperature district heating

Heating homes from the ground

Offshore Wind Energy

Blue Energy

Solar Energy

Energy Savings

References and links

### Heating homes from the ground

Heat pumps offer a reliable and inexpensive way to heat homes with geothermal energy.

Typical stainless steel applications in heat pumps include:

- Heat exchangers (usually using grade 316L)
- Frames to protect the pumps against harsh weather conditions (often using grade 304L)



# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Stainless steel use

Blue Energy

Solar Energy

Energy Savings

References and links

## Offshore Wind Energy

Offshore wind energy production capacity is growing quickly.

Larger wind farms (+1,000 MW capacity), bigger turbines (6 MW), direct drive generators, and sophisticated monitoring and maintenance systems are some of the technologies currently being deployed to decrease costs and make offshore wind energy cost-competitive.

Onshore installations close to the sea also benefit from these technological advances.



# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Stainless steel use

Blue Energy

Solar Energy


Energy Savings

References and links

## Stainless Steel Use

Offshore wind energy installations are built to last up to 30 years in a corrosive seawater environment. They are designed to require little maintenance due to the difficulty and high cost of carrying out repairs.

Stainless steel is already used in offshore wind applications such as electrical boxes, fasteners, davit cranes, safety cables, braided hoses and fittings. The need to minimise maintenance and a trend to increase the useful life of wind turbines to 50 years is likely to result in the development of more stainless steel applications.



Fastener applications on a typical turbine

Davit crane



16 m tubular tower

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

**Blue Energy**

Solar Energy

Energy Savings

References and links

### Blue Energy

Tides, sea currents and waves can theoretically provide energy forever. However, harnessing the potential of blue energy in a cost-effective manner has only been achieved in a few cases.


Various systems have been designed and some of them are in the pilot stage of testing (see Wavegen© below). Others are only at the prototype stage (see Pelamis© below).

As the best technologies emerge, so will the applications for stainless steel. However, protection from seawater corrosion, bio-fouling and abrasion make it an ideal choice for many of the systems these power plants will require.

Stainless steel will provide lasting, maintenance-free solutions.



*Pelamis© floating snake system.*



*Wavegen© wave system (Limpet, Scotland)*

# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Blue Energy

**Solar Energy**

Thermo-solar: Stainless Steel Use

Concentrating Thermal Systems


Photovoltaic Cells

Energy Savings

References and links

## Solar Energy

Thermo-solar systems are designed to produce hot water directly from the sun. They are the most widespread application for this type of renewable energy. Even in moderate climate zones and colder seasons, state-of-the-art solar installations can provide most of the hot water needed by a building's occupants.



## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Thermo-solar: Stainless Steel Use

Concentrating Thermal Systems

Photovoltaic Cells

Energy Savings


References and links

### Thermo-solar: Stainless Steel Use

Stainless steels are used for their hygienic properties, corrosion resistance and durability. They are formed in thin-walled tubes and sheets with complex shapes to maximise heat transfer. Organic and other coatings are applied to maximise sunlight absorption.

Stainless steels are typically used in:


- Exterior and interior shells of water tanks
- Heat exchangers, tubes and connectors
- Cushion absorbers
- Frames and fasteners.



Connectors



Hot water tank exterior



Corrugated stainless steel tube



Solar panels with cushion absorbers

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Thermo-solar: Stainless Steel Use

Concentrating Thermal Systems

Photovoltaic Cells

Energy Savings

References and links

### Concentrating Thermal Systems

Solar power plants have been developed which utilise parabolic mirrors to concentrate the sun's rays. They are highly suited to hot or semi-arid climates.

Corrosion-resistant stainless steel mirrors and support structures offer a combination of optimum precision and long life expectancy.



Introduction

Renewable Energy Production

Biomass Energy

Geothermal Energy

Offshore Wind Energy

Blue Energy

Solar Energy

Thermo-solar: Stainless Steel Use

Concentrating Thermal Systems

Photovoltaic Cells

Energy Savings

References and links

## Photovoltaic Cells

Stainless steels are ideal for photovoltaic (PV) installations as they provide good visual and architectural integration on roofs and facades. They also outlast the panels which contain the PV cells without any need for maintenance.



*Flat stainless steel roof with integrated amorphous PV cells*



*Stainless steel fasteners for PV panels*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Energy Savings

Climate Change Mitigation

Sunshades and Screens

Vertical Gardens

Improving Insulation

Passive Buildings

References and links

### Part II: Energy Savings

Stainless steels are used in energy saving applications because they offer:

- Corrosion resistance
- Fire resistance
- Aesthetics
- Reduced maintenance

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Energy Savings

Climate Change Mitigation

Sunshades and Screens

Vertical Gardens

Improving Insulation

Passive Buildings

References and links

### Climate Change Mitigation

Energy savings will reduce CO<sub>2</sub> emissions by 27% by 2035.

The building sector will play a prominent role in realising this target.

Corrosion resistance, fire resistance, aesthetics, and reduced maintenance are some of the properties of stainless steel which have seen it used in an array of energy-saving applications.



Introduction

Renewable Energy Production

Energy Savings

Climate Change Mitigation

Sunshades and Screens

Vertical Gardens

Improving Insulation

Passive Buildings


References and links

## Sunshades and screens

Stainless steel sunshades and screens shield windows and doors from direct sunlight, reducing heat penetration and the need for cooling - especially in hot climates.



*Woven stainless shading for the atrium of a school building reduces daytime glare and the amount of air conditioning required to cool the space in summer. Other metal sunshade products were unsuitable as they did not offer the visibility required.*



*This stainless steel screen for an external stairwell allows natural light to penetrate and air circulation. If another type of screening material was used, additional energy could be required to drive electric lighting and ventilation systems.*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Energy Savings

Climate Change Mitigation

Sunshades and Screens

**Vertical Gardens**

Improving Insulation

Passive Buildings

References and links

### Vertical Gardens

Stainless steel trellis systems provide an ideal climbing structure for plants. They transform the heat-retaining surfaces of a building into a beautiful, cooling vertical garden.

Vertical gardens have been proven to reduce peak temperatures in city buildings during heat waves.



# Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Energy Savings

Climate Change Mitigation

Sunshades and Screens

Vertical Gardens

Improving Insulation

Passive Buildings

References and links



## Improved Insulation



*Insulated balcony connector*



*Balcony inserts which include stainless rebar reduce heat loss from balconies and ensure an even temperature inside.*



*Insulating sandwich panels use stainless steel fastening systems.*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Energy Savings

Climate Change Mitigation

Sunshades and Screens

Vertical Gardens

Improving Insulation

Passive Buildings

References and links

### Passive Buildings

Passive houses and buildings do not require additional energy input for heating, ventilation and air conditioning.

They are becoming increasingly popular thanks to advanced materials, new products, optimised design and efficient monitoring systems.

The costs of incorporating these systems into new buildings are typically recovered within five years.



*Commissioned in 2011, the Pearl River Tower (Guangzhou, China) will be the first building of this size to produce more energy than it requires.*

## Stainless Steel Long Products in Renewable Energy and Energy Saving Applications

Introduction

Renewable Energy Production

Energy Savings

References and links

### References and links

#### Introduction

[iae.org/publications](http://iae.org/publications)

#### Biomass

[blogs.princeton.edu](http://blogs.princeton.edu)

[eubia.org](http://eubia.org)

[worldstainless.org](http://worldstainless.org)

[ehtanolproducer.com](http://ehtanolproducer.com)

[nickelinstitute.org](http://nickelinstitute.org)

#### Geothermal

[egec.org](http://egec.org)

[gellerbath.com](http://gellerbath.com)

[geothermie-soultz.fr](http://geothermie-soultz.fr)

[calenergy.com](http://calenergy.com)

[geoheat.oit.edu](http://geoheat.oit.edu)

[stainlessheatexchanger.com](http://stainlessheatexchanger.com)

[sdeec.fr](http://sdeec.fr)

[nrel.gov](http://nrel.gov)

#### Wind

[eweaa.org](http://eweaa.org)

[demagcranes.us](http://demagcranes.us)

[southpolestation.com](http://southpolestation.com)

#### Solar energy

[worldstainless.org](http://worldstainless.org)

#### Energy Savings

[ancon.co.uk](http://ancon.co.uk)

[ronstantensilearch.com](http://ronstantensilearch.com)

[cambridgearchitectural.com](http://cambridgearchitectural.com)

[fixinox.com](http://fixinox.com)

[halfen.com](http://halfen.com)

#### Photo credits

© Is\_design - Fotolia.com

© zentilia - Fotolia.com

© mopsgrafik - Fotolia.com

© Ingo Bartussek - Fotolia.com

© pedro felizardo - Fotolia.com

© Nataliya Hota - Fotolia.com

© cybercrisi - Fotolia.com

© tchara - Fotolia.com